



Pad Glove
collection

Il guanto da lavoro.
The only one.



ANTI-VIBRATIONS SYSTEM SHOCK STOPPER SYSTEM



PAD V-KING 904

CE In conformità al D.Lgs. 81/08 e smi



SIZE: ONE SIZE

STOP SHOCK VIBRATIONS SYSTEM

EU REGISTERED MODEL N. 001942277-0001

- EN** **Liner:** Microfiber, neoprene, *Padflex® anti-shockproof material
Colour: Black
Fit: You can use on the right and left hand
- IT** **Supporto:** Microfibra, neoprene, *Padflex® materiale anti-shock
Colore: Nero
Indossabilità: Ambidestro
- DE** **Auskleidungsmaterial:** Mikrofaser, Neopren, *Padflex® stoßfestes Material
Farben: Schwarz
Tragbarkeit: Dass beide rechte und linke hand passt
- FR** **Support:** Microfibre, néoprène, *Padflex® matériau anti-choc
Couleur: Noir
Portabilité: S'adapte aussi bien à droite et à gauche
- ES** **Soporte:** Microfibra, Neopreno, material *Padflex® anti-shock
Color: Negro
Capacidad de uso: Ambidestro



* PADFLEX® SHOCK STOPPER SYSTEM

V-KING % VIBRATION REDUCTION

| Tools | Tested on | Max Reduction |
|------------------|-----------|---------------|
| Jackhammer/Drill | Cement | 35% |
| Jigsaw | Wood | 40% |
| Brush cutter | Green | 20% |
| Grinder | Tiles | 35% |



1. FRONT FIT



2. BACK FIT



3. RELAX POSITION



Sfilamento rapido
Quick slip off



Packaging: 25 pad box/Crt
* 1 pcs/pz: 1 PAD Box



PUNCTURE RESISTANT SYSTEM
NEEDLE STOPPER SYSTEM
EXTREME CUT RESISTANCE



PAD WASP

9258

PPE CAT. II


NEEDLE RESISTANCE

LEVEL F

CUT RESISTANCE



SIZE: **S** **M** **L** **XL** **XXL**



PADWASP

Liner: 10G Poly-cotton with **PAD SEBAX®** membrane
Palm and 3/4 coating: 99% latex crinkle **EN**
Colour: Light blue / Blue

Supporto: 10G Poli-cotone con **membrana PAD SEBAX®**
Rivestimento palmo e 3/4 dorso: 99% lattice zigrinato **IT**
Colore: Azzurro / Blu

Auskleidungsmaterial: 10G Poly-Baumwolle mit **PAD SEBAX®** Membran
Handfläche und 3/4 Beschichtung: 99% Latexcrinkle **DE**
Farben: Hellblau / Blau

Support: 10G Poly-coton avec **membrane PAD SEBAX®**
Paume et revêtement 3/4: 99% latex froissé **FR**
Couleur: Bleu clair / Bleu

Soporte: Poli-algodón con **membrana PAD SEBAX®**
Palma y recubrimiento 3/4: 99% arruga de látex **ES**
Color: Azul claro / Azul

ANSI ISEA 105:2016 (American National Standards Institute)


Prova dell'Ago Ipodermico (ASTM F2878) sul palmo e sulle dita **Livello 4**
 Hypodermic Needle resistance (ASTM F 2878) **Level 4**



Packaging: 12 PAD box/Crt
 * 1 pair/paio : 1 PAD Box



RESISTANT ON THE PALM



RESISTANT ON FINGERS



PAD CRINKLE LATEX ®



NEEDLE PUNCTURE RESISTANT

CUT RESISTANCE



PAD BLADE

912

CE PPE CAT. II



EXCELLENT CUT RESISTANCE: LEVEL D

TOP COMFORT

USABLE AS UNDER GLOVE

SIZE: 7 S 8 M 9 L 10 XL 11 XXL FAST DELIVERY 5/7 DAYS


EN **Liner:** 13G HPPE, spandex, polyester, encapsulated glass fiber select by Pad Glove / **Colour:** Light Blue / White

IT **Supporto:** 13G HPPE, spandex, poliestere, Fibra di vetro incapsulata selezionata da Pad Glove / **Colore:** Azzurro / Bianco

DE **Auskleidungsmaterial:** 13G HPPE, spandex, polyester, eingekapselte Glasfaser select by Pad Glove / **Farben:** Hellblau / Weiss

FR **Support:** 13G HPPE, spandex, polyester, fibre de verre encapsulée sélectionner par Pad Glove / **Couleur:** Bleu clair / Blanc

ES **Soporte:** 13G HPPE, spandex, poliéster, fibra de vidrio encapsulada seleccione por Pad Glove / **Color:** Azul claro / Blanco



NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands



Packaging:
48 paia / pairs



with
Hanger Card



Guanto lavabile
washing test report No. Report No.:
D220610396_1 notified body No. 0075



Idoneo al contatto con alimenti / Suitable for contact with food
REGOLAMENTO EUROPEO (UE) 10/2011
Rapporto di prova effettuato da laboratorio accreditato "ACCREDIA" : LAB N° 1786 L
ADATTO AL CONTATTO DI ALIMENTI QUALI:
Uova
Legumi/ Vegetali
Zucchero
Agrumi
Pane e Dolci a lunga conservazione
Carne
Pesce
Semi
Frutta , anche esotica
Prodotti lattiero-caseari



CUT RESISTANCE

PAD SNAKE

9206


PPE CAT. II

EXCELLENT CUT RESISTANCE: LEVEL D

FULLY COATED
DOUBLE COATING



SIZE: **7** **8** **9** **10**



Liner: 13G HPPE, Spandex, Polyester, Glass Fiber select by Pad Glove

Fully Coated (1st layer): Nitrile

Palm Coating (2nd layer): Sandy Nitrile

Colour: Black / Black

EN

Supporto: 13G HPPE, Spandex, Poliestere, Fibra di Vetro selezionata da Pad Glove

Totamente ricoperto (1° strato): Nitrile

Rivestimento Palma (2° strato): Nitrile Sabbioso

Colore: Nero / Nero

IT

Auskleidungsmaterial: 13G HPPE, Spandex, Polyester, Glasfaser select by Pad Glove

Vollständig Beschichtet (erste Schicht): Nitril

Handbeschichtung: Sandiges Nitril

Farben: Schwarz / Schwarz

DE

Support: 13G HPPE, Spandex, Polyester, Fibre de Verre sélectionner par Pad Glove

Entièrement Revêtu (première couche): Nitrile

Revetement de la paume (seconde couche): Nitrile Sable

Couleur: Noir / Noir

FR

Soporte: 13G HPPE, Spandex, Poliéster, Fibra de Vidrio seleccionada por Pad Glove

Totamente Recubierto (primera capa): Nitrilo

Recubrimiento de la palma (segunda capa): Nitrilo arenoso

Color: Negro / Negro

ES

NO ODOUR



HAND RELAX

Special processing
for relaxing effect on the hands



Packaging:
72 paia / pairs

with
Hanger Card



SNAKE

CUT RESISTANCE



PAD ALLIGATOR CUT

9228

CE PPE CAT. II



SIZE: 6 7 8 9 10 FAST DELIVERY 5/7 DAYS

EXCELLENT CUT RESISTANCE: LEVEL D

DEXTERITY AND EXTREME RESISTANCE

EXCEPTIONAL TEAR RESISTANCE

EN **Liner:** 13G HPPE, spandex, polyester, glass fiber select by Pad Glove
Palm coating: PU / **Colour:** Black/grey

IT **Supporto:** 13G HPPE, spandex, poliesteri, Fibra di vetro selezionata da Pad Glove
Rivestimento palmo: PU / **Colore:** Nero/grigio

DE **Auskleidungsmaterial:** 13G HPPE, spandex, polyester, glasfaser select by Pad Glove
Handflächenbeschichtung: PU / **Farben:** Schwarz /grau

FR **Support:** 13G HPPE, spandex, polyester, fibre de verre sélectionner par Pad Glove
Revetement de la paume: PU / **Couleur:** Noir/gris

ES **Soporte:** 13G HPPE, spandex, poliéster, fibra de vidrio seleccionada por Pad Glove
Recubrimiento de la palma: PU / **Color:** Negro/gris

ANSI / ISEA 105-2016



CUT

EN388:2016 +A1:2018



3442D

EN ISO 21420:2020



NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands



Packaging:
72 paia / pairs

with
Hanger Card





CUT RESISTANCE



PAD CAIMAN PU

923

PPE CAT. II


EXTREME CUT RESISTANCE: LEVEL F

EXTREME SENSITIVITY

TOP COMFORT



SIZE: **7 8 9 10**



Liner: 13G HPPE, Spandex, Polyester, Glass Fiber select by Pad Glove

Palm Coating: PU

Colour: Grey / Grey

EN

Supporto: 13G HPPE, Spandex, Poliestere, Fibra di Vetro selezionata da Pad Glove

Rivestimento Palmo: PU

Colore: Grigio / Grigio

IT

Auskleidungsmaterial: 13G HPPE, Spandex, Polyester, Glasfaser select by Pad Glove

Handbeschichtung: PU

Farben: Grau / Grau

DE

Support: 13G HPPE, Spandex, Polyester, Fibre de Verre sélectionner par Pad Glove

Revetement de la paume: PU

Couleur: Gris / Gris

FR

Soporte: 13G HPPE, Spandex, Poliéster, Fibra de Vidrio seleccionada por Pad Glove

Recubrimiento de la palma: PU

Color: Gris / Gris

ES



TOUCH SCREEN



NO ODOUR

HAND RELAX

Special processing for relaxing effect on the hands



Packaging: 72 paia / pairs

with Hanger Card





CUT RESISTANCE



PAD CAIMAN SANDY

9207

CE PPE CAT. II



EXTREME CUT RESISTANCE: LEVEL F

TOP COMFORT

HEAVY DUTY

SIZE: 6 7 8 9 10 FAST DELIVERY 5/7 DAYS

EN Liner: 13G HPPE, Spandex, Polyester, Glass Fiber select by Pad Glove

Palm coating: Sandy Nitrile

Colour: Grey / Black

IT **Supporto:** 13G HPPE, Spandex, Poliestere, Fibra di Vetro selezionata da Pad Glove

Rivestimento palmo: Sandy Nitrile

Colore: Grigio / Nero

DE **Auskleidungsmaterial:** 13G HPPE, Spandex, Polyester, Glasfaser select by Pad Glove

Handflächenbeschichtung: Sandiges Nitrile

Farben: Grau / Schwarz

FR **Support:** 13G HPPE, Spandex, Polyester, Fibre de Verre sélectionner par Pad Glove


Revêtement de paume: Sable Nitril

Couleur: Gris / Noir

ES **Soporte:** 13G HPPE, Spandex, Poliéster, Fibra de Vidrio selecciona por Pad Glove

Recubrimiento de la palma: Nitrilo arenoso

Color: Gris / Negro



NO ODOUR

HAND RELAX
Special processing for relaxing effect on the hands



Packaging:
72 paia / pairs

with
Hanger Card

TOUCH SCREEN





**WINTER
COLD RESISTANCE**



PAD ICE

9255

PPE CAT. II

EN407:2020



X2XXXX

EN388:2016
+A1:2018



3 1 4 1 C

EN511



1 2 X

EN ISO 21420:2020



SIZE: **S M L XL XXL**



WOOL EFFECT INSIDE

Resistente al calore da contatto fino a 250° C / 15 sec.
(tempo di soglia)

Contact heat resistance up to 250° C / 15 sec.
(threshold time)

Liner: Bouclè rings machining, Polyester Cotton

Palm coating: 99% natural grained Latex

Colour: Royal blue / Black

EN

Supporto: Lavorazione ad anelli Bouclè, Poliestere Cotone

Rivestimento palmo: Lattice naturale zigrinato al 99%

Colore: Blu Royal / Nero

IT

Auskleidungsmaterial: Bearbeitung ringe Bouclè, Polyester Baumwolle

Innenhandbeschichtung: 99% Naturlatex, genarbt

Farben: Königsblau / Schwarz

DE

Support: Traitement anneaux Bouclés, Polyester Coton

Revêtement de la paume: Latex naturel grainé, 99%

Couleur: Bleu Royal / Noir

FR

Soporte: Algodón/Poliéster rizado

Recubrimiento de la palma: Látex natural rugoso al 99%

Color: Azul royal / Negro

ES

NO ODOUR

HAND RELAX

Special processing
for relaxing effect on the hands



Packaging: 60 pairs/paia

with
Hanger Card



WINTER
COLD RESISTANCE



PAD SKY

9259

CE PPE CAT. II



SIZE: 6 7 8 9 10 FAST DELIVERY 5/7 DAYS

EN388:2016



2 1 2 1 X



EN511




X 2 X

RISPETTO DELL'AMBIENTE
E DELLA PELLE / RESPECT
FOR THE ENVIRONMENT
AND THE SKIN


FIBRE VEGETALI /
VEGETABLE FIBRE

- EN** Liner: 2 layers 13G NyPad - Bamboo®
Palm coating: Grained 99% natural latex
Colour: Red / Black
- IT** Supporto: 2 strati 13G NyPad - Bamboo®
Rivestimento palmo: Lattice Naturale zigrinato al 99%
Colore: Rosso / Nero
- DE** Auskleidungsmaterial: 2 Schichten 13G NyPad - Bamboo®
Innenhandbeschichtung: 99% Naturlatex, genarbt
Farben: Rot / Schwarz
- FR** Support: 2 couches 13G NyPad - Bamboo®
Revêtement de la paume: Latex naturel grainé, 99%
Couleur: Rouge / Noir
- ES** Soporte: 2 capas 13G NyPad - Bamboo®
Recubrimiento de la palma: Látex natural rugoso al 99%
Color: Rojo / Negro

DOUBLE SIDE



INSIDE: BAMBOO OUTSIDE: NYLON



Doppio strato; Interno Bamboo / Esterno: NyPad

La fibra di BAMBOO ha molti vantaggi rispetto a tessuti sintetici, è antimicrobica, antibatterica e protegge maggiormente la pelle dai raggi ultravioletti.

Queste proprietà permettono di avere mani sempre asciutte ed evitano fastidiosi odori derivati dalla proliferazione batterica del sudore.

L'esterno in NyPad rende il quanto resistente allo strappo.

Double Layer: Inside: Bamboo / Outside: NyPad

Bamboo fiber has several advantages over synthetic fabrics, it is antimicrobial, antibacterial and protects the skin more from ultraviolet rays. These properties allow for hands dry and prevent unpleasant odors derived from bacteria

The NyPad exterior makes the glove resistant to tearing

Antimicrobial / antimicrobico

Always optimal hand temperature / temperatura della mano sempre ottimale

Con excellent grip / with excellent grip



Packaging: 144 pairs/paia

with
Hanger Card





WINTER
COLD RESISTANCE



PAD 888

888

PPE CAT. II

EN511



110

EN388:2016



2121X

EN420



SIZE:



INTERNAL WINTER LINING

Composition: Grain leather with internal flannel lining
Colour: Yellow **EN**

Composizione: Pelle fiore top quality con interno in flanella
Colore: Giallo **IT**

Zusammensetzung: Narbenleder mit innerem Flanellfutter
Farben: Gelb **DE**

Composition: Cuir grainé avec doublure interne en flanelle
Couleur: Jaune **FR**

Composición: Cuero de alta calidad con interior de franela
Color: Amarillo **ES**

NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands

Packaging: 48 pairs/paia



with
Hanger Card





WINTER
COLD RESISTANCE



PAD TOUCH

915



DPI 1° CATEGORIA
PPE CATEGORY I



SIZE: **M** **W** FAST DELIVERY 5/7 DAYS


EN **Liner:** 85,5% Polyester, 7% Conductive fiber, 5% Spandex, 2,5% Elastic
Colour: Black

IT **Supporto:** 85,5% Poliestere, 7% Fibra conduttiva, 5% Spandex, 2,5% Elastico
Colore: Nero

DE **Auskleidungsmaterial:** 85,5% Polyester, 7% leitfähigen Fasern, 5% Spandex, 2,5% Elastik
Farben: Schwarz

FR **Support:** 85,5% Polyester, 7% Fibres conductives, 5% Spandex, 2,5% élastique
Couleur: Noir

ES **Soporte:** 85.5% Poliéster, 7% Fibra conductora, 5% Spandex, 2.5% Elástico
Color: Negro



BRAND DETAIL ON GLOVE

TOUCH SCREEN



NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands



Packaging: 144 pairs/paia

with
Hanger Card





WINTER
COLD AND WIND PROTECTION



PAD YETI

9250

PPE CAT. II

THERMAL INSULATION

WATER / WINDPROOF

LEVEL "D": EXCELLENT CUT RESISTANCE



SIZE: **S M L XL XXL**

EN407:2020



X2XXXX

EN511



021

EN388:2016
+A1:2018



4X31D

EN ISO 21420:2020



Resistente al calore da contatto fino a 250° C / 15 sec.
(tempo di soglia)

Contact heat resistance up to 250° C / 15 sec.
(threshold time)

Liner: 15G Polyester + 7G Acrylic

Double coating: fully coated nitrile / sandy nitrile on the palm
Colour: Blue / Black

EN

Supporto: 15G Poliestere + 7G Acrilico

Doppia spalmatura: totalmente ricoperto in nitrile / nitrile sabbios sul palmo
Colore: Blu / Nero

IT

Auskleidungsmaterial: 15 g Polyester + 7 g Acryl

Doppelbeschichtung: Vollständig beschichtetes Nitril / sandfarben
Nitril auf der Handfläche
Farben: Blau / Schwarz

DE

Support: 15g polyester + 7g acrylique

Double enduit: Nitrile entièrement enduit / couleur sable Nitrile dans la paume
Couleur: Bleu / Noir

FR

Soporte: 15g poliéster + 7g acrílico

Doble recubrimiento: Nitrilo Totalmente Recubierto / Color Arena Nitrilo en la palma
Color: Azul / Negro

ES



PROTEZIONE DAL FREDDO
COLD PROTECTION



PROTEZIONE ANTIVENTO
WINDPROOF

NO ODOUR

HAND RELAX

Special processing for relaxing effect on the hands



Packaging: 48 pairs/paia

with Hanger Card



HEAVY DUTY
APPLICATION



PAD NITRO VANILLA

924

IPPE CAT. II

EN 388:2016 +A1:2009
EN ISO 374-1:2016 /TIPO B + EN ISO 374-5:2016

DPI 3° CATEGORIA
PPE CATEGORY III



SIZE: 8 9 10 11



PROTEZIONE MECCANICA, CHIMICA E BIOLOGICA
PROTECTIVE GLOVE AGAINST DANGEROUS
MECHANICAL, CHEMICALS AND MICRO-ORGANISM

EN Liner: Cotton Jersey
Coating: Fully nitrile - heavy duty
Colour: White / Blue

IT Supporto: Cotone Jersey
Rivestimento: Totalmente ricoperto in nitrile - grande resistenza all'abrasione
Colore: Bianco / Blu

DE Auskleidungsmaterial: Baumwolle Jersey
Beschichtungsmaterial: Vollnitril - hohe abriebfestigkeit
Farben: Weiß / Blau

FR Support: Coton Jersey
Revêtement: Entièrement en nitrile - grande résistance à l'abrasion
Couleur: Blanc / Bleu

ES Soporte: Algodón jersey
Recubrimiento: Totalmente cubierto de nitrilo - gran resistencia a la abrasión
Color: Blanco / Azul



VANILLA TREATMENT
ODOR CONTROL SYSTEM

| Norma Standard | Caratteristica di protezione Protective feature | Sostanza Chemical | Livello Level |
|-----------------|---|---|---------------|
| EN 16523-1:2015 | Permeazione Permeation | G - Dietilamina Diethylamine | 2 |
| EN 16523-1:2015 | Permeazione Permeation | K - Idrossido di sodio 40% Sodium hydroxide 40% | 2 |
| EN 16523-1:2015 | Permeazione Permeation | L - Acido solforico 96% Sulphuric acid 96% | 2 |
| EN 374-4:2013 | Degradazione Degradation | G - Dietilamina Diethylamine | 64,0% |
| EN 374-4:2013 | Degradazione Degradation | K - Idrossido di sodio 40% Sodium hydroxide 40% | 0,47% |
| EN 374-4:2013 | Degradazione Degradation | L - Acido solforico 96% Sulphuric acid 96% | 44,5% |

Il presente guanto fornisce protezione contro batteri e funghi, secondo quanto indicato nella norma EN ISO 374-5:2016.
This glove gives protection against fungi and bacteria according to EN ISO 374-5:2016 standard.

CE 0465

EN388:2016



EN ISO 374-5:2016

EN 374-1:2016 / TYPE B



Packaging: 72 pairs/paia



NITRILE
OIL / GREASE



PAD GECKO

9218

CE PPE CAT. II

SUPER GRIP

FULLY COATED
15G TOP COMFORT



SIZE: 7 8 9 10



Liner: 15G Spandex, Polyester
Fully coating: Microfoam Nitrile
Special design embossed on the palm for the best grip
Colour: Black / Black **EN**

Supporto: 15G Spandex, Poliestere
Rivestimento totale: Microfoam Nitrile
Speciale design sul palmo per una presa eccellente
Colore: Nero / Nero **IT**

Auskleidungsmaterial: 15G Spandex, Polyester
Vollständige beschichtung: Mikroschaum Nitril
Spezielles design auf der hand geprägt für besten grip
Farben: Schwarz / Schwarz **DE**

Support: 15G Spandex, Polyester
Entièrement Revêtement: Micro-Mousse Nitrile
conception spéciale en gaufre sur la paume pour la meilleure grip
Couleur: Noir / Noir **FR**

Soporte: 15G Spandex, Polyéster
Recubrimiento completo: Nitrilo de Micro Espuma
diseño especial grabado en la palma para el mejor agarre
Color: Negro / Negro **ES**

EN388:2016
+A1:2018



3121A

EN ISO 21420:2020



NO ODOUR



HAND RELAX

Special processing
for relaxing effect on the hands



Packaging:
72 paia / pairs

with
Hanger Card



NITRILE
OIL / GREASE



PAD BLACK

92010

PPE CAT. II



SIZE: **7 8 9 10 11**

EXTRA PERFORMANCE
NEW FORMULA: EXTRA GRIP
(+45%)


EN Liner: 13G Nylon
Palm coating: Grip Hi-Foam Nitrile
Colour: Black / Black

IT Supporto: 13G Nylon
Rivestimento palmo: Grip Hi-Foam Nitrile
Colore: Nero / Nero

DE Auskleidungsmaterial: 13G Nylon
Innenhandbeschichtung: Grip Hi-Foam Nitril
Farben: Schwarz / Schwarz

FR Support: 13G Nylon
Revêtement de la paume: Grip Nitrile Hi-Foam
Couleur: Noir / Noir

ES Soporte: Nylon 13G
Recubrimiento de la palma: Espuma de nitrilo
de alta calidad con buen agarre
Color: Negro / Negro



NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands



PAD FOAM
NEW FORMULA



Packaging: 144 pairs/paia

with
Hanger Card



Rapporto di prova/Test report N° 13/000413041 Chelab/Accredia - ITALY
Idoneo per contatto con alimenti; dopo test effettuato secondo CE N. 1935/2004, Pad BLACK può essere usato a contatto con: / Suitable for contact with food; after testing following CE N. 1935/2004, Pad BLACK can be used with:

| | ALIMENTI | FOODS |
|--|--|---|
| | Frutta e ortaggi | Fruits and vegetables |
| | Qualsiasi tipo di carne (fresca, surgelata, impasto) | Every kind of meat (fresh, frozen, smoked) |
| | Prodotti basati sulla carne (prosciutto, salsiccia, pancetta, etc.) | Products based on meat (ham, sausage, bacon, etc.) |
| | Cibi grassi (sandwich, patate fritte, noccioline tostate, etc.) | Fatty foods (sandwiches, fried potatoes, shelled and toasted nuts, etc.) |
| | Polvere di cacao, biscotti, pane | Cocoa powder, biscuits, bread |

PAD-BLACK

EN388:2016



4232X

EN420





NITRILE
OIL / GREASE



PAD W/N NEXT 9200

CE PPE CAT. II

LIGHT AND MULTIPURPOSE

EN388:2016



2121X

EN420



SIZE: 7 8 9 10

PESO / WEIGHT: 38G



NITRILE COATING

Liner: 13G Polyester

Palm coating: Nitrile

Colour: White / Grey

EN

Supporto: 13G Poliestere

Rivestimento palmo: Nitrile

Colore: Bianco / Grigio

IT

Auskleidungsmaterial: 13G Polyester

Innenhandbeschichtung: Nitril

Farben: Weiß / Grau

DE

Support: 13G Polyester

Revêtement de la paume: Nitrile

Couleur: Blanc / Gris

FR

Soporte: Poliéster 13G

Recubrimiento de la palma: Nitrilo

Color: Blanco / Gris

ES

NO ODOUR



HAND RELAX

Special processing
for relaxing effect on the hands



Packaging: 144 pairs/paia

with
Hanger Card





NITRILE
OIL / GREASE



PAD W/N NEXT Col. Blue

920.B

PPE CAT. II



SIZE: **6 7 8 9 10 11** 5/7 DAYS

EN388:2016
+A1:2018



3121X

EN ISO 21420:2020



COMFORTABLE MULTIPURPOSE

EN Liner: 13G strong Polyester
Palm coating: Nitrile
Colour: Grey / Blue

IT Supporto: 13G Poliestere extra-resistente
Rivestimento palmo: Nitrile
Colore: Grigio / Blu

DE Auskleidungsmaterial: 13G starke Polyester
Innenhandbeschichtung: Nitril
Farben: Grau / Blau

FR Support: 13G Polyester résistant
Revêtement de la paume: Nitrile
Couleur: Gris / Bleu

ES Soporte: Poliéster 13G fuerte
Recubrimiento de la palma: Nitrilo
Color: Gris / Azul

PESO / WEIGHT: 42G



NITRILE COATING

NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands



Packaging: 72 pairs/paia

with
Hanger Card





NITRILE
OIL / GREASE



PAD SHARK

9100

PPE CAT. II

PERMANENT COOLING PERFORMANCE

NYLON / COOLMAX® 15G
TECHNICAL SPORTS GLOVE



SIZE: **6** **7** **8** **9** **10** **11**



COOLMAX® CORE

Tecnologia brevettata per mantenere una piacevole sensazione di fresco e asciutto. Technology engineered to keep you cool and dry.

Coolmax è un marchio registrato da Lycra Company

Liner: 15G nylon/ COOLMAX® by Lycra Company
Fully coating: Relax Microfoam Nitrile

EN

Colour: Melange Blue / Blue

Supporto: 15G nylon/ COOLMAX® by Lycra Company

IT

Rivestimento totale: Microschiuma di Nitrile Relax
Colore: Blu Melange / Blu

Auskleidungsmaterial: 15G nylon/ COOLMAX® von Lycra Company

DE

Vollständige beschichtung: Relax Mikroschaum Nitril
Farben: Melange Blau / Blau

Support: 15G nylon/ COOLMAX® de Lycra Company

FR

Entièrement Revêtement: Relax Nitrile en micromousse
Couleur: Bleu Chiné / Bleu

Soporte: 15G nylon/ COOLMAX® de Lycra Company

ES

Recubrimiento completo: Relax Microespuma de Nitrilo
Color: Azul melange / azul

Quanto lavabile

washing test report No. Report No.:
S211111490_1 notified body No. 0075



TOUCH SCREEN



EN388:2016
+A1:2018



4121A

EN ISO 21420:2020



NO ODOUR



HAND RELAX

Special processing
for relaxing effect on the hands



Packaging:
72 paia / pairs

with
Hanger Card



NITRILE
OIL / GREASE



PAD LIZARD

9280

CE PPE CAT. II



SIZE: 6 7 8 9 10 11 FAST DELIVERY 5/7 DAYS

TOP COMFORT

GREAT ELASTICITY
SENSITIVE WITH GRIP

- EN** Liner: 15G nylon/spandex
Fully coating: Sandy "Extra Strong" Nitrile
Colour: Green Fluo / Black
- IT** Supporto: 15G nylon/spandex
Rivestimento totale: Nitrile Sabbioso "Extra Strong"
Colore: Verde Fluo / Black
- DE** Auskleidungsmaterial: 15G nylon/spandex
Vollständige beschichtung: "Extra Strong" Sandiges Nitril
Farben: Grün Flou / Schwarz
- FR** Support: 15G nylon/spandex
Entièrement Revêtement: Nitrile sableux "Extra Strong"
Couleur: Vert Flou / Noir
- ES** Soporte: 15G nylon/spandex
Recubrimiento completo: Nitrilo arenoso "Extra Strong"
Color: Fluo Verde / Negro

EN388:2016
+A1:2018



4X31A

EN407:2020



X1XXXX

EN ISO 21420:2020



TOP COMFORT

TOUCH SCREEN



Resistente al calore da contatto fino a 100° C / 15 sec.
(tempo di soglia)

Contact heat resistance up to 100° C / 15 sec.
(threshold time)

NO ODOUR

HAND RELAX
Special processing
for relaxing effect on the hands



Packaging:
72 paia / pairs

with
Hanger Card





PU
PRECISION WORKS
ULTRA LIGHTNESS



PAD DRAGON 9221

PPE CAT. II

ULTRA LIGHTNESS 18G

EXTREME DEXTERITY
BREATHABLE



GREAT PRECISION



AQUADRY TREATMENT
Special surface treatment permits moderate exposure to small splashed of water or liquids (chemical not included).

TOUCH SCREEN



Liner: 18G Nylon **EN**
Palm coating: PU
Colour: Green Petrol / Black

Supporto: 18G Nylon **IT**
Rivestimento palmo: PU
Colore: Verde Petrolio / Nero

Auskleidungsmaterial: 18G Nylon **DE**
Handflächenbeschichtung: PU
Farben: Petrolgrün / Schwarz

Support: 18G Nylon **FR**
Revêtement de paume: PU
Couleur: Vert Essence / Noir

Soporte: Nylon 18G **ES**
Recubrimiento de la palma: PU
Color: Gasolina Verde / Negro



NO ODOUR

HAND RELAX
Special processing for relaxing effect on the hands

EN388:2016
+A1:2018



2121X

EN ISO 21420:2020



Packaging:
72 paia / pairs


with
Hanger Card



DRAGON



PU
PRECISION WORKS
ULTRA LIGHTNESS



PAD GREY

922

CE PPE CAT. II



SIZE: **6 7 8 9 10 11** 5/7 DAYS

SUITABLE FOR DIRECT CONTACT WITH FOOD
TOP COMFORT

EN

Liner: 13G Nylon
Palm coating: PU
Colour: Grey / Grey

IT

Supporto: 13G Nylon
Rivestimento palmo: PU
Colore: Grigio / Grigio

DE

Auskleidungsmaterial: 13G Nylon
Innenhandbeschichtung: PU
Farben: Grau / Grau

FR

Support: 13G Polyester
Revêtement de la paume: PU
Couleur: Gris / Gris

ES

Soporte: Nylon 13G
Recubrimiento de la palma: PU
Color: Gris / Gris



PAD NYLON 66 FIRST QUALITY



STOP FINGERPRINTS ON THE WALL



Rapporto di prova/Test report N° 14/000314168 Chelab/Accredia - ITALY
Idoneo per contatto con alimenti; dopo test effettuato secondo CE N. 1935/2004, Pad Grey può essere usato a contatto con: / Suitable for contact with food; after testing following CE N. 1935/2004, Pad Grey can be used with:

| | ALIMENTI | FOODS |
|--|-----------------------|-----------------------|
| | Frutta e ortaggi | Fruits and vegetables |
| | Caffè, anche in grani | Coffee, coffee beans |
| | Biscotti | Biscuits |



NO ODOUR



HAND RELAX

Special processing for relaxing effect on the hands

EN388:2016



2121 X

EN420



Packaging: 144 pairs/paia

with Hanger Card





PU
PRECISION WORKS
ULTRA LIGHTNESS



PAD W/P GREY

9220.G

PPE CAT. II

EN388:2016
+A1:2018



2 1 2 2 X



SIZE: **7** **8** **9** **10**



PU COATING

Liner: 13G Polyester

Palm coating: PU

Colour: Grey / Black

EN

Supporto: 13G Poliestere

Rivestimento palmo: PU

Colore: Grigio / Nero

IT

Auskleidungsmaterial: 13G Polyester

Handflächenbeschichtung: PU

Farben: Grau / Schwarz

DE

Support: 13G Polyester

Revêtement de paume: PU

Couleur: Gris / Noir

FR

Soporte: Poliéster 13G

Recubrimiento de la palma: PU

Color: Gris / Negro

ES

NO ODOUR



HAND RELAX

Special processing
for relaxing effect on the hands



Packaging: 144 pairs/paia

with
Hanger Card





IMPACT AND CUT RESISTANCE



PAD TIGER

9270

CE PPE CAT. II



SIZE: M L XL XXL FAST DELIVERY 5/7 DAYS


IMPACT RESISTANCE
EXCELLENT CUT RESISTANCE: LEVEL D

- EN** **Liner:** 13G HPPE, spandex, polyester, glass fiber select by Pad Glove
Palm coating: Sandy Nitrile / **Colour:** Flou yellow / Black
- IT** **Supporto:** 13G HPPE, spandex, poliester, fibra di vetro selezionata da Pad Glove
Rivestimento palmo: Sandy Nitrile / **Colore:** Giallo Fluo / Nero
- DE** **Auskleidungsmaterial:** 13G HPPE, Spandex, Polyester, Glasfaser select by Pad Glove
Handflächenbeschichtung: Sandiges Nitril / **Farben:** Fluo gelb / Schwarz
- FR** **Support:** 13G HPPE, spandex, polyester, fibre de verre sélectionner par Pad Glove
Revêtement de paume: Sable Nitril / **Couleur:** Jaune fluo / Noir
- ES** **Soporte:** 13G HPPE, spandex, poliéster, fibra de vidrio seleccionada por Pad Glove
Recubrimiento de la palma: Nitrilo arenoso / **Color:** Amarillo fluo / Negro



Speciale rinforzo tra indice e pollice per una maggior durata.
Special reinforcement between index and thumb.

TPR - Protezione del dorso e delle dita all'impatto.
TPR - Protection of the back and fingers on impact.



Speciale sistema "stop shock" By Pad Glove sul palmo della mano per un maggior assorbimento degli urti sul palmo.
Special "stop shock" By Pad Glove system on the palm of the hand for better absorption.

NO ODOUR

HAND RELAX
Special processing for relaxing effect on the hands



Packaging: 48 pairs/paia

with Hanger Card

EN388:2016 +A1:2018



4X43D P

EN ISO 21420:2020



PADTIGER
Pad Glove collection

